

MEDFIX[®]
INTERNATIONAL, LLC

Reducing cost without
compromising quality.

- Medfix Founder

Medfix International, LLC has been delivering quality, low cost instrumentation around the world for many years. As a result of our success in fulfilling our mission of reducing cost without compromising quality, we have been able to partner with the biggest suppliers in the United States and Germany for the distribution of general surgical instrumentation. With over 14,000 items in stock and an expanding catalog with thousands of instruments, we can outfit anything from a single suture removal station to the largest multi-discipline operating room anywhere in the world, from simple forceps to procedure-specific instrumentation trays.

We can cross-reference almost any surgical instrument in the world by company and part number.

The vast majority of our orders are shipped within 3 business days. If you want to reduce costs, improve lead times, and remove guesswork from outfitting your surgical service, contact us and find out how easy it is to do business with a leader in the industry.

QUALITY ASSURANCE

Our instruments are manufactured from the highest quality German surgical stainless steel (ASTM F899), are treated to be corrosion resistant, and meet or exceed the most stringent of FDA and CE certifications.

Our instruments have been tested with the Thermo Scientific™ Niton XL3t XRF analyzer and show no significant variation from industry standard for type 420 stainless steel.

GUARANTEE

We offer the broadest, highest quality line of German, hand-held, reusable surgical instruments. Because of that, our instruments have a lifetime warranty against defects in material or workmanship when used for their intended purpose and when cared for according to industry standards. If you have any questions about use or care please do not hesitate to call us.

RETURNS

We strive to make our return process simple. Call (866-321-6331 or 520-398-5467) or email us (sales@medfix.com) to get a Return Material Authorization (RMA) number and shipping instructions. Be ready with the reason for the return, with your contact information, and invoice number (if available). All returns must have an RMA number or the claim cannot be processed. Replacements are shipped as soon as possible (depending upon availability), usually within 3 days of receipt of the returned item. Please package your returned items securely to avoid shipping damage.

We cannot accept instruments for replacement which have been altered or mishandled by the customer.

OUR STORY

Success is a journey, not a destination.

Since its inception, the driving force behind Medfix International, LLC has been to be part of the solution, and not perpetuate the status quo.

We came to exist almost out of necessity and as an answer to the overwhelming demand for lower cost alternatives to the traditional sources for surgical equipment, devices, and supplies. As formidably large corporations continued to grow exponentially, so did their prices. While many positive strides were made in the delivery of cutting edge surgical technology, the companies which spearheaded these advancements also lost sight of the responsibility to ensure their customers (surgeons, hospitals, surgery centers) were able to keep their doors open. With pricing that would eventually become cost-prohibitive and, in some cases, force their customers completely out of business, these corporations allowed profits to become paramount and fiscal responsibility slowly faded into the background.

Our mission was clear—we would seek, find, and provide to our customers alternatives for the equipment, devices, and supplies they needed. We knew quality must not be compromised but could not lose sight of the importance of affordable pricing.

Our philosophy today remains unchanged from the early years. We exist to serve our global community. From a makeshift operating room in a small village in Nepal, to a 10 bed hospital in rural Colombia, to the most prestigious centers of medical excellence in the world, Medfix International, LLC is committed to deliver surgical instruments, procedure-specific instrumentation, and implants in the fields of our expertise, namely, orthopedic, spine, and neurosurgery.

Our passion lies in assisting our customers develop, implement, and improve their surgical service, always making sure the patient comes first, and profits come second. We have seen how the delivery of our solutions has enabled surgeons to perform surgical procedures their hospitals and patients could not have otherwise afforded. This philosophy has propelled us forward, earned the trust of thousands of customers worldwide, and made it possible to improve patient's lives.

To our loyal customers, we thank you for your continued trust and patronage, and we invite those who seek an alternative who will work with you and help you succeed, come join us on our journey to make a difference and do right by our respective communities.

FORCEPS

Lorna Edna Towel Forceps	page 40
Non-Perforated Towel Forceps	page 40
Backhaus Towel Forceps	page 41
Rochester Ochsner Forceps	page 41
Adson Tissue Forceps	page 42
Bonney Tissue Forceps	page 42
Debakey Atraumatic Forceps	page 43
Russian Tissue Forceps	page 43
Gerald Forceps	page 44
Adson Dressing Forceps	page 44
Semken Dressing Forceps	page 45
Cushing Bayonet Dressing Forceps	page 45
Meeker Artery Forceps	page 46
Crile Forceps	page 46
Halstead Mosquito Forceps	page 47
Mosquito Forceps	page 48
Adson Forceps	page 48
Rochester Pean Forceps	page 49
Pelvic Reduction Forceps	page 50
Bone Reduction Forceps	page 50
Lane Bone Forceps	page 51
Lewin Bone Forceps	page 52
Plate & Bone Holding Forceps	page 52
Plate Holding Forceps	page 53
Lowman Bone Clamps	page 54
Kern Bone Forceps	page 55
Ruskin Liston Forceps	page 56
Ruskin-Rowland Forceps	page 56
Stille-Horsley Forceps	page 57
Wire Twister and Tightener	page 57

Forceps



MF95-2807

LORNA
EDNA
TOWEL
FORCEPS

	Cat. No.	Description
	MF95-2802	non-perforating fine teeth / 100 mm / 4 inch
	MF95-2807	non-perforating fine teeth / 140 mm / 5½ inch



MF95-2832


NON-
PERFORATING
TOWEL
FORCEPS

	Cat. No.	Description
	MF95-2827	serrated / 100 mm / 4 inch
	MF95-2832	serrated / 130 mm / 5½ inch



MF95-2732

**BACKHAUS
TOWEL
FORCEPS**



Cat. No.	Description
MF95-2722	perforating sharp points / 90 mm / 3½ inch
MF95-2727	perforating sharp points / 102 mm / 4 inch
MF95-2732	perforating sharp points / 110 mm / 4¾ inch
MF95-2737	perforating sharp points / 135 mm / 5¼ inch
MF95-2740	perforating sharp points / 150 mm / 6 inch



MF95-5582

**ROCHESTER
OCHSNER
FORCEPS**

serrated
1 x 2 teeth

Cat. No.	Description	Cat. No.	Description
MF95-5577	160 mm / 6¼ inch / straight	MF95-5637	160 mm / 6¼ inch / curved
MF95-5582	180 mm / 7 inch / straight	MF95-5642	180 mm / 7 inch / curved
MF95-5587	205 mm / 8 inch / straight	MF95-5647	205 mm / 8 inch / curved
MF95-5597	240 mm / 9½ inch / straight	MF95-5657	240 mm / 9½ inch / curved
MF95-5602	260 mm / 10¼ inch / straight	MF95-5662	260 mm / 10¼ inch / curved
MF95-5607	305 mm / 12 inch / straight	MF95-5667	305 mm / 12 inch / curved



MF96-1567

ADSON
TISSUE
FORCEPS

	Cat. No.	Description
1 X 2 teeth	MF96-1562	120 mm / 4 inch / 1.3 mm
	MF96-1567	120 mm / 4¾ inch / delicate / .9 mm
	MF96-1602	120 mm / 4¾ inch / serrated / 1.3 mm
	MF96-1662	150 mm / 6 inch / delicate / .9 mm
	MF96-1667	150 mm / 6 inch / 1.3 mm
	MF106-1562	120 mm / 4¾ inch / TC / serrated 1.6 mm
	MF106-1662	150 mm / 6 inch / TC / serrated / 2.0 mm
2 x 3 teeth	MF96-1627	120 mm / 4¾ inch / delicate / 1.7 mm



MF96-2052

BONNEY
TISSUE
FORCEPS

	Cat. No.	Description
	MF96-2052	serrated / 180 mm / 7 inch / 1 x 2 teeth
	MF96-2057	serrated / 180 mm / 7 inch / 2 x 3 teeth



MF306-3407

DEBAKEY
ATRAUMATIC
TISSUE FORCEPS

Cat. No.	Description	Cat. No.	Description
MF306-3302	150 mm / 6 inch / 1.5 mm	MF306-3502	150 mm / 6 inch / 3 mm
MF306-3307	200 mm / 7¾ inch / 1.5 mm	MF306-3507	200 mm / 7¾ inch / 3 mm
MF306-3312	240 mm / 9½ inch / 1.5 mm	MF306-3512	240 mm / 9½ inch / 3 mm
MF306-3317	305 mm / 12 inch / 1.5 mm	MF306-3517	305 mm / 12 inch / 3 mm
MF306-3402	150 mm / 6 inch / 2 mm	MF306-3602	150 mm / 6 inch / 2 mm / angled
MF306-3407	200 mm / 7¾ inch / 2 mm	MF306-3607	200 mm / 7¾ inch / 2 mm / angled
MF306-3412	240 mm / 9½ inch / 2 mm	MF306-3612	240 mm / 9½ inch / 2 mm / angled
MF306-3417	305 mm / 12 inch / 2 mm	MF306-3617	305 mm / 12 inch / 2 mm / angled



MF96-2207

RUSSIAN
TISSUE
FORCEPS

Cat. No.	Description
MF96-2202	150 mm / 6 inch / serrated cupped tips
MF96-2207	205 mm / 8 inch / serrated cupped tips
MF96-2212	255 mm / 10 inch / serrated cupped tips



MF306-4307

**GERALD
FORCEPS**

Cat. No.	Description
MF306-4302	180 mm / 7 inch / delicate / serrated / straight
MF306-4307	180 mm / 7 inch / delicate / straight / 1 x 2 teeth
MF306-4322	235 mm / 9¼ inch / delicate / serrated / straight
MF306-4402	180 mm / 7 inch / delicate / serrated / curved
MF106-4302	180 mm / 7 inch / delicate / serrated / straight / TC / 1.0 mm



MF96-1537

**ADSON
DRESSING
FORCEPS**

Cat. No.	Description
MF96-1532	120 mm / 4¾ inch / serrated / standard
MF96-1537	120 mm / 4¾ inch / delicate / serrated
MF96-1657	150 mm / 6 inch / serrated
MF106-1527	120 mm / 4¾ inch / serrated / TC
MF106-1657	150 mm / 6 inch / serrated / TC



MF96-1807

SEMKEN
DRESSING
FORCEPS

Cat. No.	Description
MF96-1802	130 mm / 5 inch / delicate / serrated / straight
MF96-1807	150 mm / 6 inch / delicate / serrated / straight
MF96-1812	130 mm / 5 inch / delicate / serrated / curved
MF96-1857	150 mm / 6 inch / delicate / serrated / curved



MF106-5752

CUSHING
BAYONET
DRESSING
FORCEPS

Cat. No.	Description
MF106-5752	180 mm / 7 inch / serrated / TC



MF305-1872

**MEEKER
ARTERY
FORCEPS**

Cat. No.	Description
MF305-1872	180 mm / 7 inch / right angle / serrated
MF305-1877	275 mm / 10¾ inch / right angle / serrated



MF95-4627

**CRILE
FORCEPS**

Cat. No.	Description
MF95-4602	140 mm / 5½ inch / delicate / fully serrated jaw / straight
MF95-4607	140 mm / 5½ inch / delicate / fully serrated jaw / curved
MF95-4627	140 mm / 5½ inch / fully serrated jaw / straight
MF95-4632	140 mm / 5½ inch / fully serrated jaw / curved
MF95-4652	160 mm / 6¼ inch / Rankin-Crile / straight
MF95-4657	160 mm / 6¼ inch / Rankin-Crile / curved



MF95-4277

HALSTEAD
MOSQUITO
FORCEPS

Cat. No.	Description
MF95-4277	130 mm / 5 inch / serrated / straight / delicate
MF95-4317	130 mm / 5 inch / serrated / straight



MF95-4322

HALSTEAD
MOSQUITO
FORCEPS


Cat. No.	Description
MF95-4282	130 mm / 5 inch / serrated / curved / delicate
MF95-4322	130 mm / 5 inch / serrated / curved
MF95-4407	140 mm / 5½ inch / serrated / curved
MF305-1309	150 mm / 6 inch / serrated / curved / delicate



MF95-4347

**MOSQUITO
FORCEPS**

Cat. No.	Description
MF95-4342	130 mm / 5 inch / serrated / straight / 1 x 2 teeth
MF95-4347	130 mm / 5 inch / serrated / curved / 1 x 2 teeth
MF95-4302	120 mm / 4¾ inch / delicate / serrated / straight / 1 x 2 teeth
MF95-4307	120 mm / 4¾ inch / delicate / serrated / curved / 1 x 2 teeth



MF95-4852

**ADSON
FORCEPS**

Cat. No.	Description
MF95-4852	185 mm / 7¼ inch / serrated / straight
MF95-4857	185 mm / 7¼ inch / serrated / curved
MF1400	185 mm / 7¼ inch / serrated / 1 x 2 teeth



MF95-5442

ROCHESTER
PEAN
FORCEPS

Cat. No.	Description
MF95-5377	140 mm / 5½ inch / serrated / straight
MF95-5382	160 mm / 6¼ inch / serrated / straight
MF95-5387	180 mm / 7 inch / serrated / straight
MF95-5392	205 mm / 8 inch / serrated / straight
MF95-5397	220 mm / 8¾ inch / serrated / straight
MF95-5407	260 mm / 10¼ inch / serrated / straight
MF95-5412	305 mm / 12 inch / serrated / straight

Cat. No.	Description
MF95-5437	140 mm / 5½ inch / serrated / curved
MF95-5442	160 mm / 6¼ inch / serrated / curved
MF95-5447	180 mm / 7 inch / serrated / curved
MF95-5452	205 mm / 8 inch / serrated / curved
MF95-5457	222 mm / 8¾ inch / serrated / curved
MF95-5467	260 mm / 10¼ inch / serrated / curved
MF95-5472	305 mm / 12 inch / serrated / curved
MF2769	355 mm / 14 inch / curved

Forceps



MF212-1207

PELVIC
REDUCTION
FORCEPS
with speedlock

Cat. No.	Description
MF212-1197	255 mm / 10 inch / straight / long pointed ball tips
MF212-1199	195 mm / 7¾ inch / angled / short pointed ball tips
MF212-1202	240 mm / 9½ inch / angled / long pointed ball tips
MF212-1207	405 mm / 16 inch / straight / long pointed ball tips
MF212-1212	405 mm / 16 inch / asymmetric pointed ball tips
MF212-1217	400 mm / 15¾ inch / long 1 x 2 ball tips



MF211-10992

BONE
REDUCTION
FORCEPS

Cat. No.	Description
MF211-10992	135 mm / 5¼ inch / curved / pointed tips
MF211-11007	130 mm / 5 inch / curved / pointed tips
MF211-11012	185 mm / 5 inch / curved / pointed tips / 15 mm serrations
MF211-11022	135 mm / 5¼ inch / curved / one pointed tip/ one step-pointed tip
MF211-11087	205 mm / 8 inch / with speedlock / max opening: 70mm
MF211-11097	205 mm / 8 inch / 2 inch double ratchet / opening: 9mm to 100mm
MF212-1112	135 mm / 5¼ inch / curved with 1.6 mm / .062 inch guide
MF212-1117	170 mm / 6¾ inch / curved with 0.9mm / .035 inch guide
MF212-1157	140 mm / 5½ inch / curved / serrated jaws



MF212-1842

LANE
BONE
FORCEPS

Cat. No.	Description
MF212-1817	330 mm / 13 inch / 2 x 2 teeth / serrated jaws / without ratchet / light
MF212-1822	330 mm / 13 inch / 2 x 2 teeth / serrated jaws / max: 30 mm / with ratchet / light
MF212-1842	330 mm / 13 inch / 2 x 2 teeth / serrated jaws / without ratchet / standard
MF212-1847	330 mm / 13 inch / 2 x 2 teeth / serrated jaws/ max: 34 mm / with ratchet / standard



MF95-4277

LANE
BONE
FORCEPS


Cat. No.	Description
MF95-4277	460 mm / 18 inch / 2 x 2 teeth / serrated jaws / without ratchet / heavy
MF95-4317	460 mm / 18 inch / 2 x 2 teeth / serrated jaws / max: 48 mm / with ratchet / heavy



MF211-11082

LEWIN
BONE
FORCEPS


Cat. No.	Description
MF211-11082	180 mm / 7 inch / slightly curved / overlapping serrated jaws



MF212-1482

PLATE &
BONE
HOLDING
FORCEPS

Cat. No.	Description
MF212-1482	120 mm / 4¾ inch / one pointed tip / one footplate



MF212-1487

PLATE
HOLDING
FORCEPS

Cat. No.

MF212-1487

Description

120 mm / 4¾ inch / curved



MF212-2747

LOWMAN
BONE
CLAMP

Cat. No.	Description
MF212-2742	120 mm / 4¾ inch / 1 x 1 jaws
MF212-2747	185 mm / 7¼ inch / 1 x 1 jaws
MF212-2752	205 mm / 8 inch / 1 x 1 jaws



MF212-2807

LOWMAN
BONE
CLAMP

Cat. No.	Description
MF212-2802	120 mm / 4¾ inch / 1 x 2 jaws
MF212-2807	185 mm / 7¼ inch / 1 x 2 jaws
MF212-2812	205 mm / 8 inch / 1 x 2 jaws



MF212-1757

**KERN
BONE
FORCEPS**

Cat. No.	Description
MF212-1752	145 mm / 5¾ inch / without ratchet / serrated jaws / 2 x 2 teeth
MF212-1757	145 mm / 5¾ inch / with ratchet / serrated jaws / 2 x 2 teeth
MF212-1772	180 mm / 7 inch / without ratchet / serrated jaws / 2 x 2 teeth
MF212-1777	180 mm / 7 inch / with ratchet / serrated jaws / 2 x 2 teeth
MF212-1792	215 mm / 8½ inch / without ratchet / serrated jaws / 2 x 2 teeth
MF212-1797	215 mm / 8½ inch / with ratchet / serrated jaws / 2 x 2 teeth



MF212-4502

**RUSKIN
LISTON
FORCEPS**

Cat. No.	Description
MF212-4502	145 mm / 5¾ inch / straight / delicate
MF212-4562	180 mm / 7 inch / straight
MF212-4567	180 mm / 7 inch / angled



MF212-4557

**RUSKIN
ROWLAND
FORCEPS**

Cat. No.	Description
MF212-4552	180 mm / 7 inch / straight / delicate jaw
MF212-4557	180 mm / 7 inch / angled / delicate jaw



STILLE-HORSLEY
FORCEPS

MF212-4617

Cat. No.	Description
MF212-4617	270 mm / 10½ inch / angled jaw



WIRE
TWISTER
AND **TIGHTENER**

MF212-7092

Cat. No.	Description
MF212-7092	160 mm / 6¼ inch / side fenestration

